# **Material Safety Data Sheet**

Company name Lucky Art Ind.

Date of printing: May. 01, 19

Date of revision:

#### 1 Chemical product and company Idendification

DESCRIPTION: Colour in set- Water Based Make Up

PRODUCT TYPE: paste cake type paints APPLICATION: Colorful on body and face

Manufacturer/Suplier Information

MSDS Prepared by:

company name Lucky Art Industrial Co., Ltd

Emergracy information

Poison Control Center

Tel: 886-3-9907-101

company address 500, Haishan W. Rd., Su-ao Town, Y-lan County 27047, Taiwan

Tel: 886-3-9907-101 Fax: 886-3-9906-949

## 2 Composition, Information on Ingredients

Paints formulation with wax, petrolatum, glycerin, calcium carbonate, Stearyl alcohol, sodium bensozate,

Phenoxyethanol, Ethylhexylglycerin, acacia senegel, dextrin, water and pigments.

Contains no hazardous ingredients.

#### 3 Hazards Identification

## 3.1 Emergency Overview

Appearance Colors solid
Odor mild fruity

Not a health hazard.

Not a significant fire hazard

<b>HMIS Rating</b>		4=severe
		3=serious
HEALTH	0	2=moderate
FLAMMABILITY	0	1=slight
REACTIVITY	0	0=minimal

#### 3.2 Potential Health Effects

### **Immediate Hazards**

INGESTION: No hazards known INHALATION: No hazards known SKIN: No hazards known EYES: No hazards known

### **Delayed Hazards**

No hazards known

## 4. First Aid Measures

INGESTION: If accidently swallowed let it swallowed.

EYES: Immediately flush eyes with plenty of clean water, take it off from eye.

SKIN: Wash skin with soap and water.

INHALATION: Take it off or vomitting out.

### 5. Fire Fighting Measures

Autoignition Temperature Not available Upper/Lower Flammable Llmits Not available Upper/Lower Expiosiv Llmits Not available

Flash Point >150°C

Will not burn unless > 250°C

Suitable extinguishing media: carbon dioxide, powders, water spray

#### **6.Accidental Release Measures**

Protective measures

Personal; Children under 6 years should use with adult supervision.

## 7. Handling and Storage

#### 7.1 Handling

Handle in accordance with good industrial hygiene and safety practices.

## 7.2 Storage

Store in dry place.

### 8. Exposure Controls/Personal Protection

## **8.1 Exposure Controls**

No special control measures necessary under nornmal conditions of use.

#### **8.2 Personal Protection**

No special protection necessary.

#### 8.3 Exposure Guidelines

None established.

## 9. Physical and chemical Properties

Percent Volatiles <1.5% water

PH @ 20℃ -----

Specific Gravity1.70±0.30g/mlAppearancecolors solidAutoignition TemperatureNot available

Melting Point >250°C Vapor Density (Air=1) ----

Vapor Pressure hPA @20°C N/A kg/cm
Evaporation Rate (Butyl Acetare=1) Not available
Upper/Lowe/Explosive Limits,% by Vol Not applicable
Upper/Lower flammable Limits Not applicable

Flash Point >150°C freezing Point ----

Odor mild, fruity
Odor Treshold. ppm Not available
Solubility in Water Soluble

Coefficient of water/Oil Distribution Not available

### 10. Stability and Reactivity

Normally stable

#### **Conditions to Avoid:**

Exposure in water or too wet

## **Incompaibilities:**

None known,

#### **Decomposition products may Include:**

Calcium oxide, water, carbon dioxide

#### Hazardous polymerization

Will not occur.

#### Other Hazards:

None known.

#### 11. Toxicological Information

Conforms to EC 1223/2009 cosmetics.

### 12. Ecological Information

There are no data available on the preparation itself.

### 13.Disposal Consideration

Dispose of according to local, state/provincial, and federal requirements.

### 14. Transport Information

### 14.1 US: Department of Transportation (DOT)

### **US: Department of Transportation (IMDG/IMO)**

These products are solid type, no toxic cosmetics grade.

Safety IATA transpotation by air, by sea, by truck.

### 14.2 Canadian Transportation of Dangerous Goods (TDG)

Canadian Transportation of Dangerous Goods (IMDG/IMO)

**NOT REGULATED** 

### 15. Regulatory information (Selected Regulations)

### 15.1 U:S: Federal Regulations

These Paint products CONFORMS to the health requirements of ASTM D-4236 and FDA these products must bear the following statement: "Conforms to ASTM D-4236".

#### 15.2 Canadian Regulations

Unknow

- 15.3 These paint products CONFORMS to EC 1223/2009, and CE EN-71.
- 15.4 These paint products pass -BAM, 8th Edition by FDA.

#### 16. Other Information

Important: May cause irritation to sensitive skin, Discontinue use if irritation or rash develops. Children under six years should use with adult supervision.