Material Safety Data Sheet

Company name Lucky Art Ind.

Date of printing: Feb. 20, 2014

Date of revision:

1 Chemical product and company Idendification

DESCRIPTION: Colour in sets, Face crayons & body paints FSM-12, FS-6, FS-18, etc

PRODUCT TYPE: paste cake type paints APPLICATION: Colorful on body and face

Manufacturer/Suplier Information

Emergrncy information
Poison Control Center

MSDS Prepared by: company name Lucky Art Industrial Co., Ltd

Tel: 886-3-9907-101

company addre No. 7, Te-Hsing 6th Rd. Su-Ao 27051, I-Lan, Taiwan

Tel: 886-3-9907-101 Fax: 886-3-9906-949

2 Composition, Information on Ingredients

Paints formulation with Paraffin wax, petrolatum, glycerin, calcium carbonate, Stearyl alcohol, sodium bensozate, Phenoxyethanol, Ethylhexylglycerin, acacia senegel, dextrin, water and pigments.

Contains no hazardous ingredients.

3 Hazards Identification

3.1 Emergency Overview

Appearance

Colors solid

Odor

mild fruity

Not a health hazard.

Not a significant fire hazard

4=severe

3=serious

HEALTH

0

2=moderate

FLAMMABILITY

0

1=slight

REACTIVITY 0

0=minimal

3.2 Potential Health Effects

Immediate Hazards

INGESTION:

No hazards known

INHALATION:

No hazards known

SKIN:

No hazards known

EYES:

No hazards known

Delayed Hazards

No hazards known

4. First Aid Measures

INGESTION:

If accidently swallowed let it swallowed.

EYES:

Immediately flush eyes with plenty of clean water, take it off from eye.

SKIN:

Wash skin with soap and water.

INHALATION:

Take it off or vomitting out.



5. Fire Fighting Measures

Autoignition Temperature

Not available

Upper/Lower Flammable Llmits

Not available

Upper/Lower Expiosiv Llmits

Not available

Flash Point

>150°C

Will not burn unless > 250°C

Suitable extinguishing media: carbon dioxide, powders, water spray

6. Accidental Release Measures

Protective measures

Personal:

Children under 6 years should use with adult supervision.

7. Handling and Storage

7.1 Handling

Handle in accordance with good industrial hygiene and safety practices.

7.2 Storage

Store in dry place.

8. Exposure Controls/Personal Protection

8.1 Exposure Controls

No special control measures necessary under nornmal conditions of use.

8.2 Personal Protection

No special protection necessary.

8.3 Exposure Guidelines

None established.

9. Physical and chemical Properties

Percent Volatiles

<1.5% water

PH @ 20℃

Specific Gravity

 1.70 ± 0.30 g/ml

Appearance

colors solid

Autoignition Temperature

Not available

Melting Point

>250°C

Vapor Density (Air=1)

100,000,000,000

tuper = one to (1 in 1)

Vapor Pressure hPA @20℃

N/A kg/cm

Evaporation Rate (Butyl Acetare=1)

Not available

Upper/Lowe/Explosive Limits,% by Vol

Not applicable

Upper/Lower flammable Limits

Not applicable

Flash Point

>150°C

freezing Point
Odor
Odor Treshold. ppm
Solubility in Water

Coefficient of water/Oil Distribution

mild, fruity
Not available
Soluble
Not available



10. Stability and Reactivity

Normally stable

Conditions to Avoid:

Exposure in water or too wet

Incompaibilities:

None known,

Decomposition products may Include:

Calcium oxide, water, carbon dioxide

Hazardous polymerization

Will not occur.

Other Hazards:

None known.

11. Toxicological Information

Conforms to EU 76/768/EEC.

12. Ecological Information

There are no data available on the preparation itself.

13.Disposal Consideration

Dispose of according to local, state/provincial, and federal requirements.

14. Transport Information

14.1 US: Department of Transportation (DOT)

US: Department of Transportation (IMDG/IMO)

Safety IATA transpotation by air, by sea, by truck.

14.2 Canadian Transportation of Dangerous Goods (TDG)

Canadian Transportation of Dangerous Goods (IMDG/IMO)

NOT REGULATED

15. Regulatory information (Selected Regulations)

15.1 U:S: Federal Regulations

These Paint products CONFORMS to the health requirements of ASTM D-4236 these products must bear the following statement: "Conforms to ASTM D-4236".

15.2 Canadian Regulations

Unknow

- 15.3 These paint products CONFORMS to EU 76/768/EEC, and CE EN-71.
- 15.4 These paint products pass -BAM, 8th Edition by FDA.

16. Other Information

Important: May cause irritation to sensitive skin, Discontinue use if irritation or rash develops. Children under six years should use with adult supervision.